



Cognizant Technology Solutions India Private Limited,

Plot No. B 40, 41, 42 & 44,

SIPCOT SIRUSERI IT PARK,

Padur Post, Siruseri,

Chengalpattu District - 603103

Tamil Nadu, India.

Tel : 1-800-208-6999

Fax : +91 44 4209 6060

Email : cognizantindia@cognizant.com

June 16 , 2026

CTS/CREWS/CHN/SRZ/TNPCB-DEE-HW-BMWR/2026/419

To,

The District Environmental Engineer,
Tamil Nadu Pollution Control Board,
Maraimalai Adigalar Street,
Next to Municipal Office,
Maraimalai Nagar – 603 209,
Kanchipuram District.

Subject: Submission of annual returns.

Dear Officer,

Greetings from Cognizant Technology Solutions!

With reference to the subject, we hereby submit the annual returns for our premises, Cognizant Technology Solutions India Private Limited, located at Plot Number: B-40, 41, 42 and 44 (SEZ Unit) SIPCOT Siruseri IT Park, Padur Post, Siruseri, Vandalur Taluk, Chengalpattu District – 603 103.

A: The Hazardous Waste and Other Waste (Management and Transboundary Movement) Rules, 2016.

1. Form 4 annual hazardous waste returns for the period of April 2025 to March 2026.

B: Bio Medical Waste Management Rules, 2016.

2. Form IV annual bio medical waste returns for the period of January 2025 to December 2025.

We request your office to take this letter on record and acknowledge the receipt of this letter.

Thank you,

Yours faithfully,

For Cognizant Technology Solutions India Private Limited,

Gokulakrishnan R



Authorized Signatory,
Corporate Real Estate Workplace Services.



Enclosures:

1. Form 4 annual hazardous waste returns for the period of April 2025 to March 2026.
2. Form IV annual bio medical waste returns for the period of January 2025 to December 2025.

Form IV
(See Rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier health care facility(HCF), or common bio-medical waste treatment facility (CBWTF)]

Return No : 76976428

Period : 2025-2026

1. Particulars of the Occupier	
(i) Name of the authorized person (Occupier or operator of facility):	Narsingarao Sardee
(ii) Name of HCF or CBMWTF:	COGNIZANT TECHNOLOGY SOLUTIONS INDIA PVT LTD
(iii) Address for Correspondence:	PLOT NO:40B, 41, 42 & 44 (SEZ Unit), SIPCOT IT Park, Siruseri, Padur Post,
(iv) Address of Facility:	PLOT NO:40B, 41, 42 & 44 (SEZ Unit), SIPCOT IT Park, Siruseri, Padur Post,
(v) Tel. No.:	9566044401
(vi) Fax. No.:	044 - 33604040
(vii) E-mail ID:	CWSIndiaCompliance@cognizant.com
(viii) URL of Website:	https://www.Cognizant.com
(ix) GPS coordinates of HCF of CBMWTF:	Latitude:12.82511 Longitude:80.22030
(x) Ownership of HCF or CBMWTF:	Private
(xi) Status of Authorization under the BMW (Management and Handling) Rules:	Authorization No.: 24BAC61565665 Valid Upto: 30/06/2027
(xii) Status of Consents under Water Act and Air Act.:	Valid Upto: 31/03/2026
2. Type of Health Care Facility	
HCF/CBMWTF Type:	HCF
(i) No. of Beds(for Bedded Hospital):	0.0
(ii) Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other):	Medical Health Centre
(iii) Licence Number:	2461565665
(iv) Licence date of expiry:	30/06/2027
3. Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	Yellow Category: 10.261 Red Category: 5.038 White Category: 0 Blue Category: 0 General Solid Waste: 0
4. Details of the Storage, Treatment, Transportation, Processing and Disposal Facility Details	
(i) Details of the on-site storage facility:	Size: 0 Capacity: 0 Provision of on-site storage: NIL

(ii) Disposal Facility:	<table border="1"> <tr> <th data-bbox="889 134 1008 281">Type of Treatment Equipment</th> <th data-bbox="1008 134 1135 281">Number of Units</th> <th data-bbox="1135 134 1261 281">Capacity (Kg/day)</th> <th data-bbox="1261 134 1382 281">Quantity Treated or Disposed (Kg/annum)</th> </tr> <tr> <td colspan="4" data-bbox="889 281 1382 327">List is Empty</td> </tr> </table>	Type of Treatment Equipment	Number of Units	Capacity (Kg/day)	Quantity Treated or Disposed (Kg/annum)	List is Empty			
Type of Treatment Equipment	Number of Units	Capacity (Kg/day)	Quantity Treated or Disposed (Kg/annum)						
List is Empty									
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum:	0.0								
(iv) No of vehicles used for collection and transportation of BMW:	1								
(v) Details of incineration, ash and ETP sludge generated, disposal during the treatment of wastes in Kg per annum	<table border="1"> <tr> <th data-bbox="889 468 1052 527">Type of waste</th> <th data-bbox="1052 468 1219 527">Quantity Generated</th> <th data-bbox="1219 468 1382 527">Where disposal</th> </tr> <tr> <td colspan="3" data-bbox="889 527 1382 569">List is Empty</td> </tr> </table>	Type of waste	Quantity Generated	Where disposal	List is Empty				
Type of waste	Quantity Generated	Where disposal							
List is Empty									
(vi) Name of the Common BMW Treatment Facility Operator through which wastes are disposed of:	M/S G.J Multiclave (India) Pvt.Ltd, Teacher colony,Kamarajar Avenue Adayar ,Chennai-600020								
5. Do you have BMW management committee:	yes								
details:	MOM Attached								
6. Training Conducted on BMW Details									
(i) Number of training conducted on BMW Management:	2								
(ii) Number of personnel trained:	4								
(iii) Number of personnel trained at the time of induction:	4								
(iv) Number of personnel not undergone any training so far:	0								
(v) Whether standard manual for training is available:	yes								
(vi) Any other information:	Nil								
7. Details of the accident occurred									
(i) No. of accident occurred:	0								
(ii) Number of the persons affected:	0								
(iii) Remedial Action taken:	0								
(iv) Any Fatality occurred, details:	0								
8. Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?:	Not Applicable								
Details of Continuous online emission monitoring systems installed:	Not Applicable								
9. Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year:	Not Applicable								
10. Is the disinfection method or sterilization meeting the log for standards? How many times you have not met the standards in a year?:	Not Applicable								
11. Any other relevant information:	Nil								




f Name and Signature of the Head of the Institution

Date :29/06/2026

Place : Chengalpattu